



— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads = 770
Discordant mates = 12





— translocation — deletion
— duplication — inversion

Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads = 97
Discordant mates = 12





— translocation — deletion
— duplication — inversion


Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads = 6
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 692
Discordant mates = 1

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 690
Discordant mates = 1

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 690
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 690
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 690
Discordant mates = 1





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 690
Discordant mates = 1





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 690
Discordant mates = 1





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 690
Discordant mates = 1





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 628
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 362
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 15
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





No protein domains retained in fusion.


SUPPORTING READ COUNT

Split reads = 4
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 552
Discordant mates = 4

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 14
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 552
Discordant mates = 4





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 191
Discordant mates = 5

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 14
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 429
Discordant mates = 5

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 13
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 3
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 2
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 413
Discordant mates = 2





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 2
Discordant mates = 0

— translocation — deletion
— duplication — inversion






— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT




Split reads = 1
Discordant mates = 2



SUPPORTING READ COUNT

Split reads = 232
Discordant mates = 1



- translocation
- duplication
- deletion
- inversion




SUPPORTING READ COUNT

Split reads = 8
Discordant mates = 1

— translocation — deletion
— duplication — inversion






RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 5
Discordant mates = 1




— translocation — deletion
— duplication — inversion



SUPPORTING READ COUNT

Split reads = 5
Discordant mates = 0



— translocation — deletion
— duplication — inversion




SUPPORTING READ COUNT

Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 216
Discordant mates = 9

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
 — duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 128
 Discordant mates = 16





— translocation — deletion
 — duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 82
 Discordant mates = 16





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 22
Discordant mates = 20

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 19
Discordant mates = 19

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 16
Discordant mates = 19

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 13
Discordant mates = 19

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 15
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 6
Discordant mates = 20


- translocation
- duplication
- deletion
- inversion



3 kbp
introns not to scale





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 5
Discordant mates = 20

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 5
Discordant mates = 19

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 209
Discordant mates = 8

— translocation — deletion
— duplication — inversion






RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 56
Discordant mates = 0



- translocation
- deletion
- duplication
- inversion




SUPPORTING READ COUNT

Split reads = 12
Discordant mates = 1

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 10
Discordant mates = 8

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 8

— translocation — deletion
— duplication — inversion





— translocation — deletion
— duplication — inversion

No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 192
Discordant mates = 0





— translocation — deletion
— duplication — inversion

No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 36
Discordant mates = 0





— translocation — deletion
— duplication — inversion

No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 23
Discordant mates = 1





— translocation — deletion
— duplication — inversion

No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 5
Discordant mates = 0





No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 4
Discordant mates = 0

— translocation — deletion
— duplication — inversion





No protein domains retained in fusion.


SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 142
Discordant mates = 2

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 74
Discordant mates = 2

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 2

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion






RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 86
Discordant mates = 1



- translocation
- duplication
- deletion
- inversion




SUPPORTING READ COUNT

Split reads = 76
Discordant mates = 2

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 56
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 11
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 9
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion


No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 66
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 52
Discordant mates = 3

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT


Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 39
Discordant mates = 1





— translocation — deletion
— duplication — inversion

RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 32
Discordant mates = 0




RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 6
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion




RETAINED PROTEIN DOMAINS
reading frame unclear




NPM1

SUPPORTING READ COUNT

Split reads = 29
Discordant mates = 0




RETAINED PROTEIN DOMAINS
reading frame unclear




NPM1

SUPPORTING READ COUNT

Split reads = 13
Discordant mates = 0




RETAINED PROTEIN DOMAINS
reading frame unclear




NPM1

SUPPORTING READ COUNT

Split reads = 5
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear



NPM1

SUPPORTING READ COUNT

Split reads = 3
Discordant mates = 0





— translocation — deletion
 — duplication — inversion


Genes are not protein-coding.

SUPPORTING READ COUNT

Split reads = 29
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 24
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 16
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 4
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion



RETAINED PROTEIN DOMAINS
reading frame unclear





SENP7
Ulp1 protease family, C-terminal catalytic domain


SUPPORTING READ COUNT

Split reads = 23
Discordant mates = 1

- translocation
- duplication
- deletion
- inversion



RETAINED PROTEIN DOMAINS
reading frame unclear





SENP7
Ulp1 protease family, C-terminal catalytic domain


SUPPORTING READ COUNT

Split reads = 21
Discordant mates = 1

— translocation — deletion
— duplication — inversion



RETAINED PROTEIN DOMAINS
reading frame unclear





SENP7

Ulp1 protease family, C-terminal catalytic domain

SUPPORTING READ COUNT

Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





— translocation — deletion
— duplication — inversion

No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 21
Discordant mates = 0





— translocation — deletion
— duplication — inversion


No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 21
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 17
Discordant mates = 0

— translocation — deletion
— duplication — inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 6
Discordant mates = 0

— translocation — deletion
— duplication — inversion





— translocation — deletion
— duplication — inversion


No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 12
Discordant mates = 0





RETAINED PROTEIN DOMAINS
reading frame unclear




SUPPORTING READ COUNT

Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion





RETAINED PROTEIN DOMAINS
reading frame unclear



SUPPORTING READ COUNT

Split reads = 1
Discordant mates = 0

- translocation
- duplication
- deletion
- inversion



— translocation — deletion
— duplication — inversion

No protein domains retained in fusion.

SUPPORTING READ COUNT

Split reads = 8
Discordant mates = 0